Whole-number counts

Place one dot for each observation above its numerical value. Stack repeated values vertically; this is a frequency display, not a time sequence.

Values: 0, 0, 1, 1, 1, 2, 2, 3, 3, 3, 3, 4, 5, 5

1. List value frequencies. _____

2. Which value(s) are most frequent? _____

3. Should dots be connected? _____

Original practice data / coordinate units, not ruler measurements / physical printing not tested

Zumola / CC BY 4.0 / Free to print, share and adapt with attribution

A small range

Place one dot for each observation above its numerical value. Stack repeated values vertically; this is a frequency display, not a time sequence.

Values: 1, 1, 1, 2, 2, 4, 4, 4, 4, 5, 6, 6

1. List value frequencies. _____

2. Which value(s) are most frequent? _____

3. Should dots be connected? _____

Original practice data / coordinate units, not ruler measurements / physical printing not tested

Zumola / CC BY 4.0 / Free to print, share and adapt with attribution

Repeated middle value

Place one dot for each observation above its numerical value. Stack repeated values vertically; this is a frequency display, not a time sequence.

Values: -2, -1, -1, 0, 0, 0, 0, 1, 2, 2, 3

1. List value frequencies. _____

2. Which value(s) are most frequent? _____

3. Should dots be connected? _____

Original practice data / coordinate units, not ruler measurements / physical printing not tested

Zumola / CC BY 4.0 / Free to print, share and adapt with attribution

Compare two peaks

Place one dot for each observation above its numerical value. Stack repeated values vertically; this is a frequency display, not a time sequence.

Values: 2, 2, 3, 3, 3, 4, 4, 5, 5, 5, 6, 6, 7

1. List value frequencies. _____

2. Which value(s) are most frequent? _____

3. Should dots be connected? _____

Original practice data / coordinate units, not ruler measurements / physical printing not tested

Zumola / CC BY 4.0 / Free to print, share and adapt with attribution