Positive intercepts

Find each intercept by setting the other variable to zero. Plot both intercepts and draw the line through them.

2x + (3)y = 12.



1. Find x- and y-intercepts. Compare the completed plot.

2. Copy the standard-form equation. Compare the completed plot.

3. Draw the line through valid points. Compare the completed plot.

Original practice data / coordinate units, not ruler measurements / physical printing not tested

Zumola / CC BY 4.0 / Free to print, share and adapt with attribution

A falling line

Find each intercept by setting the other variable to zero. Plot both intercepts and draw the line through them.

3x + (-2)y = 6.



1. Find x- and y-intercepts. Compare the completed plot.

2. Copy the standard-form equation. Compare the completed plot.

3. Draw the line through valid points. Compare the completed plot.

Original practice data / coordinate units, not ruler measurements / physical printing not tested

Zumola / CC BY 4.0 / Free to print, share and adapt with attribution

A line through the origin

Find each intercept by setting the other variable to zero. Plot both intercepts and draw the line through them.

4x + (-2)y = 0.



1. Find x- and y-intercepts. Compare the completed plot.

2. Copy the standard-form equation. Compare the completed plot.

3. Draw the line through valid points. Compare the completed plot.

Original practice data / coordinate units, not ruler measurements / physical printing not tested

Zumola / CC BY 4.0 / Free to print, share and adapt with attribution

Mixed signs

Find each intercept by setting the other variable to zero. Plot both intercepts and draw the line through them.

-2x + (3)y = 9.



1. Find x- and y-intercepts. Compare the completed plot.

2. Copy the standard-form equation. Compare the completed plot.

3. Draw the line through valid points. Compare the completed plot.

Original practice data / coordinate units, not ruler measurements / physical printing not tested

Zumola / CC BY 4.0 / Free to print, share and adapt with attribution